



K77 ADJUSTABLE



K77 ADJUSTABLE LED GE


K77 was developed as an extension to K72. With the LED dedicated rework of the K we honour an icon. A timeless, adjustable spot for general/accent lighting product that will remain in the Modular portfolio for many years to come. Just like its K72 counterpart, K77 is available in donkey grey and white structure.

Art. Nr. 14050409

SPECIFICATIONS

| | | |
|----------------|----------------------|-----------------|
| Lamp | 1x LED Array | |
| Gear / Transfo | LED gear not incl. | |
| Cut-out size | ø 70 h 60 | |
| Weight | 0.21kg | |
| Min. distance | 0.1 | |
| IP | IP20 | |
| Glow wire test | 960° | |
| Lifetime | L80 B20 @ 50.000 hrs | |
| CRI | 90 | |
| Power supply | 350mA 17.8Vf | 500mA 18.4Vf |
| Connected load | 6.2W | 9.2W |
| Lumen | 532lm | 714lm |
| Efficacy | 86lm/W | 78lm/W |
| UGR | 20 | 21 |
| Adjustability | h 360° v -30°/+30° | |

| | WARM WHITE 2700K / CRI 90+ | | | WARM WHITE 3000K / CRI 90+ | | | NEUTRAL WHITE 4000K / CRI 90+ | | |
|-------------------|-------------------------------|---------------|--------------|-------------------------------|-----------------|--------------|----------------------------------|---------------|--------------|
| | SPOT 15° | MEDIUM 25° | FLOOD 40° | SPOT 15° | MEDIUM 25° | FLOOD 40° | SPOT 15° | MEDIUM 25° | FLOOD 40° |
| black struc | 14050032 | 14050132 | 14050232 | 14050332 | 14050432 | 14050532 | 14050632 | 14050732 | 14050832 |
| donkey grey struc | 14050071 | 14050171 | 14050271 | 14050371 | 14050471 | 14050571 | 14050671 | 14050771 | 14050871 |
| white struc | 14050009 | 14050109 | 14050209 | 14050309 | 14050409 | 14050509 | 14050609 | 14050709 | 14050809 |



Available label
<http://supemodular.com/assets/TYPE2.pdf>



K77 ADJUSTABLE LED GE

ACCESSORIES

HUE-DEVICE

| | |
|----------|--|
| 70000615 | HUE TAP SWITCH |
| 70000152 | HUE DIMMER SWITCH |
| 70008054 | HUE SENSOR |
| 70000154 | NIKO PURE SWITCH FOR HUE - WHITE STEEL |
| 70000155 | NIKO PURE SWITCH FOR HUE - BLACK STEEL |

HUE-BRIDGE

| | |
|----------|---------------|
| 70000616 | HUE BRIDGE EU |
| 70000617 | HUE BRIDGE UK |

HUE-MODULE

| | |
|----------|---|
| 13190030 | MODULAR CONNECTED 1-10V WHITE COMPONENT |
|----------|---|

CONBOX


| | |
|----------|------------------------|
| 10889630 | CONBOX 190X192X130X256 |
|----------|------------------------|

GYPKIT

| | |
|----------|----------------------|
| 12290130 | GYPKIT 190X190 - Ø70 |
|----------|----------------------|

K-SET

| | |
|----------|---------------------------------|
| 14052032 | K-SET 77 1X BLACK STRUC |
| 14052009 | K-SET 77 1X WHITE STRUC |
| 14052071 | K-SET 77 1X DONKEY GREY STRUC |
| 14052232 | K-SET 77 3X BLACK STRUC |
| 14052209 | K-SET 77 3X WHITE STRUC |
| 14052271 | K-SET 77 3X DONKEY GREY STRUC |
| 14052332 | K-SET 77 4SQX BLACK STRUC |
| 14052309 | K-SET 77 4SQX WHITE STRUC |
| 14052371 | K-SET 77 4SQX DONKEY GREY STRUC |
| 14052132 | K-SET 77 2X BLACK STRUC |
| 14052109 | K-SET 77 2X WHITE STRUC |
| 14052171 | K-SET 77 2X DONKEY GREY STRUC |



ACCESSORIES

DRIVER-LED

| | |
|----------|--------------------|
| 12403730 | LED GEAR 350MA 15W |
|----------|--------------------|

